

High Efficient ELECTRIC HOT WATER TANK

ECO-KING

STAINLESS STEEL
QUALITY



ECO-KING HEATING PRODUCTS
High Efficient Heaters & Boilers

A woman with long brown hair tied in a bun is relaxing in a bathtub. She is looking up with a peaceful expression. In the background, a chrome showerhead is visible. The overall scene is warm and inviting, suggesting a comfortable bath.

High Efficient ELECTRIC HOT W

We deliver long-lasting hot water wellbeing for domestic hot water storage tanks. Made from stainless steel, manufactured in accordance with international quality standards, we offer your best choice for energy efficient hot water.

STAINLESS STEEL
QUALITY

ECO-KING HEATING PRODUCTS

High Efficient Heaters & Boilers

WATER TANK

eing from high quality stainless steel
from select raw materials and manu-
quality and environmental standards
ient hot water comfort.

Saga S 200-300

- High quality stainless steel storage tank
- Single efficient electric heating element
- Energy efficient NANOPUR™ insulation
 - Prepared for alternative energy usage
 - Quick and easy installation
 - 100% recyclable

Part No.	Product code:	Capacity persons	Diameter x Height mm.	Volume 40°C water - L	Heat loss W
S3 52	S 200 - 3 kW/1x240V	3,5	ø580x1260	355	66
S5 52	S 200 - 4,8 kW/1x240V	3,5	ø580x1260	355	66
S3 80	S 300 - 3 kW/1x240V	5,5	ø580x1710	539	86
S5 80	S 300 - 4,8 kW/1x240V	5,5	ø580x1710	539	86



Saga SX 200-300

- High quality stainless steel storage tank
- Dual elements - 3 times faster reheating
without increased energy consumption
- Energy efficient NANOPUR™ insulation
 - Prepared for alternative energy usage
 - Quick and easy installation
 - 100% recyclable

Part No.	Product code:	Capacity persons	Diameter x Height mm.	Volume 40°C water - L	Heat loss W
SX3 52	SX 200 - 3+3 kW/1x240V	4,5	ø580x1260	355	66
SX5 52	SX 200 - 4,8+4,8 kW/1x240V	4,5	ø580x1260	355	66
SX3 80	SX 300 - 3+3 kW/1x240V	6,5	ø580x1710	539	86
SX5 80	SX 300 - 4,8+4,8 kW/1x240V	6,5	ø580x1710	539	86



Hot water wellbeing

Product advantages

- MORE HOT WATER due to higher internal temperature (75°C) combined with a highly efficient mixing valve which prevents scalding.
- PRO INSULATION with the use of NANOPUR™ ensures minimal heat loss and class leading energy efficiency.
- EVERLAST™ titanium alloyed stainless steel combined with the unique ULTRAWELD™ welding process and state-of-the-art passivation process ensures class-leading corrosion resistance.

King Heating Products

Head Office

🏠 #103 - 2567 192 St., Surrey, BC, V353X1

📞 604.385.3265

✉️ hello@kingheatingproducts.com

🕒 8am - 4:30pm PST Mon - Fri

Ontario Office

🏠 49 Craig St., Brantford, ON N3R 7H8

🕒 8am - 4:30pm EST Mon - Fri

www.kingheatingproducts.com

ECO-KING

ECO-KING HEATING PRODUCTS
High Efficient Heaters & Boilers